







298677-62



298677-



298677-12

FEATURES

6mm thickness for maximum chassis and engine protection Extended protection areas on the side casings, water pump and footpeg areas of the chassis

Presence of exhaust areas to give more lightness, ventilation and facilitate washing inside the skid plate

Design to reduce mud and debris ingress

Compatible with simultaneous use of X-Power (ignition crankcase and clutch protection)

It is easily mounted by using the frame cross-member near the single shock absorber and by means of two supplied screws using the two original slots at the front

Two-tone logo plate Weight: 700g

PRODUCT DETAILS

98% Polypropylene | 2% Others

Made In: Italy

APPLICATIONS

GAS GAS MC 85 2025 | HUSQVARNA TC 85 2025 | KTM SX 85 2025









298619-



298619-12

FEATURES

Latest-generation skid plate with integrated fin

Co-moulded fin designed to protect the shock absorber linkage from impacts, mud and sand. It allows easy sliding over natural obstacles (whoops, stones, logs) ensuring a smooth ride. Design ensures maximum linkage grip

6mm thickness for maximum chassis and engine protection

Extended protection areas on the side casings, water pump and footpeg areas of the chassis

Presence of exhaust areas to give more lightness, ventilation and facilitate washing inside the skid plate

Design to reduce mud and debris ingress

Compatible with simultaneous use of X-Power (ignition crankcase and clutch protection)

Protection of the side crankcases, on the water pump and in the frame areas around the footrests

It is easily mounted by using the frame cross-member near the single shock absorber and by means of two supplied screws using the two original slots at the front

Two-tone logo plate

Weight: 700g

PRODUCT DETAILS

98% Polypropylene | 2% Others

Made In: Italy

APPLICATIONS

GAS GAS MC 50 2024 2025 | HUSQVARNA TC 50 2024 2025 | KTM SX 50 2024 2025









298547-12



298547-

FEATURES

Next-generation skid plate developed to provide maximum protection of the areas of greatest impact.

Allows smooth sliding over obstacles found on motocross tracks (whoops, boulders) ensuring a smooth ride.

Extended protection areas on the side crankcases, water pump and footpeg area

Presence of exhaust areas to give more lightness, aeration and facilitate washing operations inside the skid plate
Designed to reduce the entry of mud and debris
Weight: 400g

PRODUCT DETAILS

78% Plastic | 20% Steel | 2% Other

Made In: Italy

APPLICATIONS

GAS GAS MC 65 2024 2025 | HUSQVARNA TC 65 2024 2025 | KTM SX 65 2024 2025











298324-



298324-12

APPLICATIONS

KTM EXC-F 450 2024 2025 | KTM EXC-F 500 2024 2025 | KTM XCF-W 450 2024 2025 | KTM XW-F 500 2024 2025











298322-



298322-12

FEATURES

Skid plate of the latest generation that allows it to slide smoothly over natural obstacles (whoops, rocks, logs) ensuring a smooth ride. Provides maximum protection for the frame and engine.

Extended protection areas on the side crankcases, water pump and footpeg area frame areas

Presence of exhaust areas to give more lightness, aeration and facilitate washing operations inside the under-engine

Designed to reduce mud and debris ingress

Compatible with simultaneous use of Acerbis X-Power (Ignition and clutch crankcase protection)

Easily mounted by taking advantage of the frame crossmember near the single shock and via 2 supplied screws using the two original slots in the front

Weight: 650g

APPLICATIONS

KTM EXC 250 2024 2025 | KTM EXC 300 2024 2025 | KTM XC-W 250 2024 2025 | KTM XC-W 300 2024 2025









298321-



298321-12

APPLICATIONS

KTM EXC 150 2024 | KTM XC-W 125 2025 | KTM XC-W 150 2024 2025









298325-



298325-12

FEATURES

Skid plate of the latest generation that allows it to glide smoothly over natural obstacles (stones, logs) ensuring a smooth ride. Provides maximum protection to the frame and engine.

Extensive protection areas on the side crankcases, water pump and footpeg area frame areas

Presence of exhaust areas to give more lightness, aeration and facilitate washing operations inside the under-engine

Designed to reduce mud and debris ingress

Compatible with simultaneous use of Acerbis X-Power (Ignition and clutch housing protection)

Mounts easily by taking advantage of the four original holes on the frame

Weight: 650g

APPLICATIONS

KTM EXC-F 250 2024 2025 | KTM EXC-F 350 2024 2025 | KTM XW-F 350 2024 2025









298327-



298327-12

FEATURES

Latest generation skid plate with integrated fin

Fin designed to protect the linkage of the shock from impacts, mud and sand. It allows you to easily slide over natural obstacles (Whoops, stones, logs) ensuring a smooth ride. The design ensures maximum adherence to the link

It offers maximum protection to the chassis and motor.

Extended protection areas on the side housings, on the water pump and in the chassis areas

Presence of exhaust areas to give more lightness, ventilation and facilitate the washing operations inside the skid plate

Design designed to reduce the ingress of mud and debris

Protection of the side housings, on the water pump and in the areas of the chassis

Easily mounts thanks the front holes and the original rear seats, with the addition of an additional support guaranteed by two plastic hooks Two-tone label with logo

APPLICATIONS

GAS GAS ES 700 2022 2023 2024 2025 | GAS GAS SM 700 2022 2023 2024 2025 | HUSQVARNA 701 ENDURO 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 | HUSQVARNA 701 SUPERMOTO 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 | KTM 690 ENDURO R 2019 2020 2021 2022 2023 2024 2025 | KTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2022 2023 2024 2025 | CTM 690 SMC R 2019 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021 2020 2021









298146-



298146-62



298146-12

FEATURES

Latest generation sub-engine with integrated fin

Co-molded fin designed to protect the shock absorber linkage from impact, mud and sand. Allows easy sliding over natural obstacles (whoops, stones, logs) ensuring a smooth ride.

Design ensures maximum grip on the link

6mm thickness for maximum frame and engine protection

Extended protection areas on the side crankcases, water pump, and in the areas of the frame footrest area

Presence of drainage areas to impart more lightness, aeration, and facilitate washing operations inside the sub-engine

Design studied to reduce the ingress of mud and debris

Compatible with simultaneous use of X-Power (Ignition and Clutch Crankcase Protection)

Protection of the side crankcases, on the water pump and in the areas of the frame footrest area

It is easily mounted by taking advantage of the frame sleeper near the mono-shock absorber and through two supplied screws that use the two original slots in the front

Possibility of simultaneous use with x-power

Two-tone nameplate with logo

Weight: 700g

PRODUCT DETAILS

98% Polypropylene | 2% Other

Made In: Italy

APPLICATIONS

GAS GAS EC 250 2024 2025 | GAS GAS EC 300 2024 2025 | GAS GAS EX 250 2024 2025 | GAS GAS EX 300 2024 2025 | GAS GAS MC 250 2024 2025 | GAS GAS MC 300 2025 | HUSQVARNA TC 250 2023 2024 2025 | HUSQVARNA TC 300 2025 | HUSQVARNA TE 250 2024 2025 | HUSQVARNA TE 300 2024 2025 | KTM SX 150 2025 | KTM SX 250 2023 2024 2025 | KTM SX 300 2023 202









298145-12



298145-



298145-62

FEATURES

Latest-generation skid plate with integrated fin

Co-moulded fin designed to protect the shock absorber linkage from impacts, mud and sand. It allows easy sliding over natural obstacles (whoops, stones, logs) ensuring a smooth ride. Design ensures maximum linkage grip

6mm thickness for maximum chassis and engine protection

Extended protection areas on the side casings, water pump and footpeg areas of the chassis

Presence of exhaust areas to give more lightness, ventilation and facilitate washing inside the skid plate

Design to reduce mud and debris ingress

Compatible with simultaneous use of X-Power (ignition crankcase and clutch protection)

Protection of the side crankcases, on the water pump and in the frame areas around the footrests

It is easily mounted by using the frame cross-member near the single shock absorber and by means of two supplied screws using the two original slots at the front

Two-tone logo plate

Weight: 700g

PRODUCT DETAILS

98% Polypropylene | 2% Others

Made In: Italy

APPLICATIONS

GAS GAS EC 125 2025 | GAS GAS MC 125 2024 2025 | GAS GAS MC 150 2024 2025 | HUSQVARNA TC 125 2023 2024 2025 | HUSQVARNA TC 150 2025 | HUSQVARNA TE 125 2025 | HUSQVARNA TE 150 2024 2025 | KTM SX 125 2023 2024 2025 | KTM XC 125 2023 2024 2025









297944-12



297944-62



FEATURES

Latest generation skid plate with integrated fin

Fin designed to protect the shock absorber linkage from impacts, mud and sand. It allows easy sliding over natural obstacles (whoops, stones, logs) ensuring a smooth ride. Design ensures maximum linkage grip

Offers maximum protection for the chassis and engine.

Extended protection areas on the side casings, water pump and footpeg areas of the frame

Presence of exhaust areas to give more lightness, ventilation and facilitate washing inside the skid plate

Design to reduce mud and debris ingress

Compatible with simultaneous use of Acerbis X-Power (Ignition and clutch cover protection)

Easily mounted using the four original holes in the frame

Two-tone logo plate

Weight: 700g

PRODUCT DETAILS

98% Polypropylene | 2% Other

Made In: Italy

APPLICATIONS

GAS GAS EC 450 F 2024 2025 | GAS GAS EC 500 F 2024 2025 | GAS GAS EX 450 F 2024 2025 | GAS GAS MC 450 F 2024 2025 | HUSQVARNA FC 450 2023 2024 2025 | HUSQVARNA FE 501 2024 2025 | HUSQVARNA FE 501 W 2024 | HUSQVARNA FX 450 2023 2024 2025 | KTM SX-F 450 2023 2024 2025 | KTM XC-F 450 2023 2024 2025









297761-



297761-62



297761-12

FEATURES

CONSTRUCTION AND DESIGN:

Design designed for optimal protection of the chassis and motor.

Fin designed to protect the shock absorber linkage from impacts, mud and sand. It allows you to easily slide over natural obstacles (Whoops, stones, logs) ensuring a smooth ride. The design ensures maximum adherence to the link

Impact resistant material effectively protects against stones, earth and mud.

Flexible and lightweight plastic reduces vibration and surface damage to chassis and engine

The air intakes are designed to give more lightness, aeration and facilitate the washing operations inside the sub-engine, reducing the entrance of gravel, earth and mud.

Exploiting the original attacks of the bike the assembly/ disassembly is intuitive and to facilitate the normal maintenance and washing of the engine.

Extended protection areas on the side housings, on the water pump and in the chassis areas

Compatible with simultaneous use of X-Power (Ignition and clutch housing protection)

PRODUCT DETAILS

Nyoln 96% | Others 4%

Made In: Italy

APPLICATIONS

GAS GAS EC 250 F 2024 2025 | GAS GAS EC 350 F 2024 2025 | GAS GAS EX 250 F 2024 2025 | GAS GAS EX 350 F 2024 2025 | GAS GAS MC 250 F 2024 2025 | GAS GAS MC 350 F 2024 2025 | HUSQVARNA FC 250 2023 2024 2025 | HUSQVARNA FC 350 2023 2024 2025 | HUSQVARNA FE 250 2024 2025 | HUSQVARNA FE 350 2024 2025 | HUSQVARNA FE 350 PRO 2024 2025 | HUSQVARNA FE 350 S 2024 2025 | HUSQVARNA FE 350 W 2024 | HUSQVARNA FX 350 2023 2024 2025 | KTM SX-F 250 2023 2024 2025 | KTM SX-F 350 2023 2024 2025 | KTM XC-F 250 2023 2024 2025 | KTM XC-F 350 2023 2024 2025

SKID PLATES / HUSQVARNA SKID PLATE FOR KTM/HUSQVARNA/GAS GAS











279168-



279168-237



279168-



279168-315

FEATURES

Last generation skid plate with built-in fin

Printed fin designed to protect the suspension link from impacts, mud and sand. It allows the bike to easily slide over natural obstacles (whoops, rocks, trunks) Its design ensures the best cover around the link, thus guaranteeing a clean ride

Plastic 6mm thick for the best frame and engine protection

Protection areas extended over the engine covers, on the water pump and on the foot peg mounts

Discharge areas to improve lightness and airflow and to ease the cleaning process behind the skid plate

Design developed to reduce the presence of mud and debris around the engine

Possibility to combine its use with X-POWER (clutch and ignition cover protection)

Carbon look refinishing

Easy mounting on the original fastenings of the bike

PRODUCT DETAILS

Skid plate realised in two joined sections: | Highly impact-resistant plastic skid plate | Fin for suspension link protection: blend rubber + plastic which allows resistance to impacts and better elasticity

Made In: Italy

APPLICATIONS

HUSQVARNA FC 250 2019 2020 2021 2022 | HUSQVARNA FC 350 2019 2020 2021 2022 | HUSQVARNA FX 350 2020 2021 2022 | KTM SX-F 250 2019 2020 2021 2022 | KTM SX-F 350 2019 2020 2021 2022 | KTM XC-F 350 2019 2020 2021 2022









279164-203



279164-

APPLICATIONS

KTM EXC-F 450 2020 2021 2022 2023 | KTM EXC-F 500 2020 2021 2022 2023 | KTM XCF-W 450 2023 | KTM XCF-W 500 2020 2021 2022 2023









279163-22



279163-12

APPLICATIONS

KTM EXC-F 250 2020 2021 2022 2023 | KTM EXC-F 350 2020 2021 2022 2023 | KTM XCF-W 350 2020 2021 2022 2023









278057-22



278057-12

APPLICATIONS

KTM EXC 250 TPI 2020 2021 2022 2023 | KTM EXC 300 TPI 2020 2021 2022 2023 | KTM XC-W 250 TPI 2020 2021 2022 2023 | KTM XC-W 300 TPI 2020 2021 2022 2023









273636-



273636-237



273636-



273636-315

FEATURES

Last generation skid plate with built-in fin

Printed fin designed to protect the suspension link from impacts, mud and sand. It allows the bike to easily slide over natural obstacles (whoops, rocks, trunks) Its design ensures the best cover around the link, thus guaranteeing a clean ride

Plastic 6mm thick for the best frame and engine protection

Protection areas extended over the engine covers, on the water pump and on the foot peg mounts

Discharge areas to improve lightness and airflow and to ease the cleaning process behind the skid plate

Design developed to reduce the presence of mud and debris around the engine

Possibility to combine its use with X-POWER (clutch and ignition cover protection)

Carbon look refinishing

Easy mounting on the original fastenings of the bike

PRODUCT DETAILS

Skid plate realised in two joined sections: | Highly impact-resistant plastic skid plate | Fin for suspension link protection: blend rubber + plastic which allows resistance to impacts and better elasticity

Made In: Italy

APPLICATIONS

GAS GAS EX 250 2022 2023 | GAS GAS EX 300 2021 2022 2023 | GAS GAS MC 250 2022 2023 | HUSQVARNA TC 250 2019 2020 2021 2022 | HUSQVARNA TX 300 2020 2021 2022 | KTM SX 250 2019 2020 2021 2022 | KTM XC 300 2019 | KTM XC 300 TPI 2020 2021 2022 | KTM XC 300 2019 | KTM XC 300 TPI 2020 2021 2022









273346-203



273346-232



273346-



273346-315

APPLICATIONS

GAS GAS EX 450 F 2021 2022 2023 | GAS GAS MC 450 F 2021 2022 2023 | HUSQVARNA FC 450 2019 2020 2021 2022 | HUSQVARNA FX 450 2020 2021 2022 | KTM SX-F 450 2019 2020 2021 2022 | KTM XC-F 450 2019 2020 2021 2022









268603-



268603-42



268603-12

APPLICATIONS

GAS GAS MC 85 2021 2022 2023 2024 | HUSQVARNA TC 85 2018 2019 2020 2021 2022 2023 2024 | KTM SX 85 2018 2019 2020 2021 2022 2023 2024









268879-12



268879-42

APPLICATIONS

HUSQVARNA FE 250 2017 2018 2019 | HUSQVARNA FE 350 2017 2018 2019 | KTM EXC-F 250 2017 2018 2019 | KTM EXC-F 350 2017 2018 2019









263056-12

APPLICATIONS

HUSQVARNA TC 250 2017 2018 | KTM SX 250 2017 2018









263054-42



263054-12

APPLICATIONS

HUSQVARNA TC 85 2014 2015 2016 2017 | KTM SX 85 2013 2014 2015 2016 2017









263057-12

APPLICATIONS

GAS GAS MC 125 2021 2022 2023 | HUSQVARNA TC 125 2016 2017 2018 2019 2020 2021 2022 | HUSQVARNA TE 150I 2020 2021 2022 2023 | HUSQVARNA TX 125 2017 2018 2019 | KTM EXC 150 TPI 2020 2021 2022 2023 | KTM SX 125 2016 2017 2018 2019 2020 2021 2022 | KTM SX 150 2016 2017 2018 2019 2020 | KTM XC 125 2020 2021 2022 | KTM XC-W 125 2017 2018 2019 | KTM XC-W 150 TPI 2019 2020 2021 2022 2023









263058-



263058-42



263058-12

APPLICATIONS

HUSQVARNA TE 250 2017 | HUSQVARNA TE 250I 2018 2019 | HUSQVARNA TE 300 2017 | HUSQVARNA TE 300I 2018 2019 | KTM EXC 250 2017 | KTM EXC 250 TPI 2018 2019 | KTM EXC 300 2017 | KTM EXC 300 TPI 2018 2019 | KTM XC-W 250 TPI 2019 | KTM XC-W 300 TPI 2019









263059-



263059-12

APPLICATIONS

KTM EXC-F 450 2017 2018 2019 | KTM EXC-F 500 2017 2018 2019









244942-



244942-12



244942-



244942-232

APPLICATIONS

HUSQVARNA FC 450 2016 2017 2018 | HUSQVARNA FE 450 2017 2018 2019 | HUSQVARNA FE 501 2017 2018 2019 | KTM SX-F 450 2016 2017 2018









242116-



242116-42



242116-12

APPLICATIONS

HUSQVARNA FC 250 2016 2017 2018 | HUSQVARNA FC 350 2016 2017 2018 | KTM SX-F 250 2016 2017 2018 | KTM SX-F 350 2016 2017 2018











APPLICATIONS

HUSQVARNA FC 450 2014 2015 | HUSQVARNA FE 450 2014 2015 2016 | HUSQVARNA FE 501 2014 2015 2016 | KTM EXC-F 450 2012 2013 2014 2015 2016 | KTM EXC-F 500 2012 2013 2014 2015 2016 | KTM SX-F 450 2013 2014 2015









225027-12

APPLICATIONS

HUSQVARNA FE 250 2014 2015 2016 | HUSQVARNA FE 350 2014 2015 2016 | KTM EXC-F 250 2014 2015 2016 | KTM EXC-F 350 2012 2013 2014 2015 2016









224413-12

APPLICATIONS

HUSQVARNA TC 125 2014 2015 | HUSQVARNA TE 125 2014 2015 2016 | KTM EXC 125 2012 2013 2014 2015 2016 | KTM EXC 200 2012 2013 2014 2015 2016 | KTM SX 125 2011 2012 2013 2014 2015 | KTM SX 150 2011 2012 2013 2014 2015









221504-12

APPLICATIONS

HUSQVARNA FC 250 2014 2015 | HUSQVARNA FC 350 2014 2015 | KTM SX-F 250 2013 2014 2015 | KTM SX-F 350 2011 2012 2013 2014 2015









216023-22



216023-12

APPLICATIONS

HUSQVARNA TC 250 2014 2015 2016 | HUSQVARNA TE 250 2014 2015 2016 | HUSQVARNA TE 300 2014 2015 2016 | KTM EXC 250 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 | KTM EXC 300 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 | KTM SX 250 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016









212566-12

APPLICATIONS

KTM EXC-F 450 2008 2009 2010 2011 | KTM EXC-F 500 2008 2009 2010 2011