


FULL PLASTIC KIT
KAWASAKI
298357



298357-72



298357-



298357-12



298357-



298357-42



298357-



298357-

APPLICATIONS

KAWASAKI KX 450 2024 | KAWASAKI KX 450 X 2024



SKID PLATE HONDA TRANSALP 298486



FEATURES

Latest-generation skid plate that allows it to slide smoothly over natural obstacles (whoops, stones, logs) ensuring a smooth ride. It offers maximum protection for the chassis and engine. Extended protection areas on the side crankcases, water pump and footpeg areas of the frame. Presence of exhaust areas to give more lightness, ventilation and facilitate washing operations inside the under-engine

Design to reduce mud and debris ingress
Compatible with simultaneous use of Acerbis x-power (ignition and clutch cover protection)
Mounting kit included
Weight: 2060g
Not compatible with main stand

PRODUCT DETAILS

82% Plastic | 14% Steel | 4% Others
Made In: Italy

APPLICATIONS

HONDA TRANSALP XL750 2023 2024

PRODUCTS RELATED



ENDURANCE-X TRANSALP
HANDGUARDS

■ 090



298341
FUEL TANK HONDA TRANSALP
23L

■ 090.700



298366
X-GRIP FRAME PROTECTOR
HONDA TRANSALP

■ 090

■ 319

NEW PRODUCTS / NEW PRODUCTS
SKID PLATE HONDA TRANSALP



298368
X-POWER HONDA TRANSALP
■ 090



298339
FORK SHOE COVER FOR
HONDA TRANSALP
■ 090



298046
ENDURANCE-X HANDGUARDS
■ 090 ■ 209
▣ 237 ▣ 245
▣ 279 ▣ 315
▣ 343 ▣ 349
▣ 377 ▣ 848



263466
X-FACTORY HANDGUARDS
■ 090 ■ 203
■ 209 ▣ 229
▣ 231 ▣ 232
▣ 237 ▣ 239
▣ 245 ▣ 251
▣ 279 ■ 313
▣ 315 ■ 321
▣ 323 ▣ 325
▣ 335 ▣ 343
▣ 349 ▣ 377



LINEAR DISC COVER J
298505



298505-12



298505-42



298505-62



298505-32



298505-72

FEATURES

Lightweight and resistant.
Designed to protect the disc and left fork leg from sliding and impacts.
The special attachment point, which uses the wheel axle nut, allows both a quick application and additional protection of the left fork leg.
Specially designed to be able to adjust the suspension and to tighten and loosen the leg bolts without necessarily having to remove the disc cover.

The extension of the disc guard to the caliper protects the caliper assembly from shocks and mud.
Multiple ventilation windows allow correct temperature self-adjustment, preventing disc/caliper overheating.
Max. disc Ø 280 mm
Weight 200g
Before you buy: check the compatibility with your bike

PRODUCT DETAILS

90% Plastic | 10% Steel

Made In: Italy

APPLICATIONS

FANTIC XE 125 2021 2022 2023 2024 | FANTIC XE 300 2024 | FANTIC XEF 250 2021 2022 2023 2024 | FANTIC XEF 310 2024 | FANTIC XEF 450 2021 2022 2023 2024 | FANTIC XX 125 2021 2022 2023 2024 | FANTIC XX 250 2021 2022 2023 2024 | FANTIC XXF 250 2021 2022 2023 2024 | FANTIC XXF 450 2021 2022 2023 2024 | HONDA CRF 250 R 2018 2019 2020 2021 2022 2023 2024 | HONDA CRF 250 RX 2022 2023 2024 | HONDA CRF 250 RX ENDURO 2022 2023 2024 | HONDA CRF 250 RX ENDURO SPECIAL 2022 2023 2024 | HONDA CRF 300 RX 2019 2020 2021 2022 2023 2024 | HONDA CRF 300 RX ENDURO 2022 2023 2024 | HONDA CRF 300 RX ENDURO SPECIAL 2022 2023 2024 | HONDA CRF 450 R 2017 2018 2019 2020 2021 2022 2023 2024 | HONDA CRF 450 RL 2021 2022 2023 2024 | HONDA CRF 450 RX 2017 2018 2019 2020 2021 2022 2023 2024 | KAWASAKI KX 250 4T 2021 2022 2023 2024 | KAWASAKI KX 250 X 2021 2022 2023 2024 | KAWASAKI KX 300 X 2024 | KAWASAKI KX 450 2020 2021 2022 2023 2024 | KAWASAKI KX 450 X 2021 2022 2023 2024 | SHERCO 125 SE FACTORY 2024 | SHERCO 250 SE FACTORY 2024 | SHERCO 250 SEF FACTORY 2024 | SHERCO 300 SE FACTORY 2024 | SHERCO 300 SEF FACTORY 2024 | SHERCO 450 SEF FACTORY 2024 | SHERCO 500 SEF FACTORY 2024 | YAMAHA WR 450 F 2024 | YAMAHA YZ 125 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 250 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 250 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 250 FX 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 FX 2019 2020 2021 2022 2023 2024



LINEAR DISC COVER B
298506



298506-42



298506-12



298506-32

FEATURES

Lightweight and resistant.
Designed to protect the disc and left fork leg from sliding and impacts.
The special attachment point, which uses the wheel axle nut, allows both a quick application and additional protection of the left fork leg.
Specially designed to be able to adjust the suspension and to tighten and loosen the leg bolts without necessarily having to remove the disc cover.

The extension of the disc guard to the caliper protects the caliper assembly from shocks and mud.
Multiple ventilation windows allow correct temperature self-adjustment, preventing disc/caliper overheating.
Max. disc Ø 280 mm
Weight 200g

Before you buy: check the compatibility with your bike

PRODUCT DETAILS

90% Plastic | 10% Steel

Made In: Italy

APPLICATIONS

BETA RR 125 2T 2019 2020 2021 2022 2023 2024 | BETA RR 125 2T RACING 2020 2021 2022 2023 2024 | BETA RR 200 2T 2019 2020 2021 2022 2023 2024 | BETA RR 200 2T RACING 2020 2021 2022 2023 2024 | BETA RR 250 2T 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 250 2T RACING 2020 2021 2022 2023 2024 | BETA RR 300 2T 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 300 2T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 390 4T 2020 2021 2022 2023 2024 | BETA RR 390 4T RACING 2020 2021 2022 2023 2024 | BETA RR 430 4T 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 430 4T RACING 2020 2021 2022 2023 2024 | BETA RR 480 4T 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 480 4T RACING 2020 2021 2022 2023 2024 | BETA RX 300 2022 2023 2024 | BETA RX 450 2022 2023 2024 | TM EN 125 2T 2016 2017 2018 2019 2020 | TM EN 125 FI 2T 2020 2021 2022 2023 2024 | TM EN 144 2T 2016 2017 2018 2019 2020 | TM EN 144 FI 2T 2020 2021 2022 2023 2024 | TM EN 250 2T 2016 2017 2018 2019 2020 2021 2022 | TM EN 250 ES FI 2T 2023 2024 | TM EN 250 ES FI 4T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM EN 300 2T 2016 2017 2018 2019 | TM EN 300 ES FI 2T 2020 2021 2022 2023 2024 | TM EN 300 ES FI 4T 2017 2018 2019 2020 2021 2022 2023 2024 | TM EN 450 ES FI 4T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM EN 530 FI ES 4T 2015 2016 2017 2018 2019 2020 | TM MX 125 2T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM MX 144 2T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM MX 250 2T 2016 2017 2018 2019 | TM MX 250 ES 2T 2020 2021 2022 2023 2024 | TM MX 250 ES FI 4T 2023 2024 | TM MX 250 FI 4T 2016 2017 2018 2019 2020 2021 2022 | TM MX 300 2T 2016 2017 2018 2019 | TM MX 300 ES FI 4T 2023 2024 | TM MX 300 FI 4T 2017 2018 2019 2020 2021 2022 | TM MX 450 ES FI 4T 2023 2024 | TM MX 450 FI 4T 2016 2017 2018 2019 2020 2021 2022 | TM MX 530 ES FI 4T 2023

JERSEY MX J-TRACK
ASKAR
298550



298550-



298550-

FEATURES

Technical polyester fabric: soft, comfortable, breathable. Quick dry.
Extended mesh area from hips to armpits
Mesh area on inner sleeves
Lightweight and totally stretch fabric for good comfort

Slim-fit to wear the garment with or without (event the most voluminous) protections
Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester

Made In: China

PRODUCTS RELATED




298551
PANTS MX TRACK ASKAR

279

393

SIZES

S | M | L | XL | XXL | XXXL



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

PANTS MX TRACK
ASKAR
298551



298551-



298551-

FEATURES

Innovative ACERBIS X-Flex technology: fully elasticized material on waist	Closure with button and fly cam micro adjustment in plastic
Foam padding in the knee area	Excellent ventilation thanks to mesh in the calf area and above the knee
Can take any type of knee guard thanks to stretchy mesh in the calf area	Weight 700 g.
Double waist adjustments with Velcro	

PRODUCT DETAILS

Shell: 88,00% Polyester; 2,8% Nylon; 2,7% kevlar; 2,7% synthetic leather; 2,3% PU; 1,5% spandex | Lining: 100% Polyester | Outer: High-density 600D Polyester, fully elasticized above the knee; 1200D polyester below the knee | Inner: Kevlar® Armortex® and AX Suede reinforcement inside pants

Made In: China

PRODUCTS RELATED




298550
JERSEY MX J-TRACK ASKAR

279

393

SIZES

T.28 | T.30 | T.32 | T.34 | T.36 | T.38



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				HEIGHT	WAIST	HIP	LEG
COD.	EU	USA	ITA				
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	M	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm

JERSEY MX J-TRACK
INC
298552



298552-



298552-



298552-



298552-315

FEATURES

Technical polyester fabric: soft, comfortable, breathable. Quick dry.
Extended mesh area from hips to armpits
Mesh area on inner sleeves
Lightweight and totally stretch fabric for good comfort

Slim-fit to wear the garment with or without (event the most voluminous) protections
Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester

Made In: China

PRODUCTS RELATED




298553
PANTS MX TRACK INC

315

349

SIZES

S | M | L | XL | XXL | XXXL | 4XL | 5XL



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

PANTS MX TRACK INC
298553



298553-315



298553-

FEATURES

Innovative ACERBIS X-Flex technology: fully elasticized material on waist	Closure with button and fly cam micro adjustment in plastic
Foam padding in the knee area	Excellent ventilation thanks to mesh in the calf area and above the knee
Can take any type of knee guard thanks to stretchy mesh in the calf area	Weight 700 g.
Double waist adjustments with Velcro	

PRODUCT DETAILS

Shell: 88,00% Polyester; 2,8% Nylon; 2,7% kevlar; 2,7% synthetic leather; 2,3% PU; 1,5% spandex | Lining: 100% Polyester | Outer: High-density 600D Polyester, fully elasticized above the knee; 1200D polyester below the knee | Inner: Kevlar® Armortex® and AX Suede reinforcement inside pants

Made In: China

PRODUCTS RELATED




298552
JERSEY MX J-TRACK INC

- 209
- 251
- 315
- 349

SIZES

T.28 | T.30 | T.32 | T.34 | T.36 | T.38 | T.40 | T.42 | T.44



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				HEIGHT	WAIST	HIP	LEG
COD.	EU	USA	ITA				
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	M	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm

JERSEY X-FLEX
BLIZZARD
298555



298555-



298555-237



298555-245



298555-

FEATURES

Innovative Acerbis X-Flex fabric in polyester: totally stretched, soft, comfortable, breathable , light. Quick dry Extended mesh areas under armpit and back kidney	Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr
--	--


PRODUCT DETAILS

COMPONENTS: | Shell: | 88% Polyester | 12% Elastane

Made In: China

SIZES

S | M | L | XL | XXL | XXXL



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them



LINEAR DISC COVER 298477



298477-



298477-42



298477-



298477-62



298477-12

FEATURES

Lightweight and resistant.
Designed to protect the disc and left fork leg from sliding and impacts.
The special attachment point, which uses the wheel axle nut, allows both a quick application and additional protection of the left fork leg.
Specially designed to be able to adjust the suspension and to tighten and loosen the leg bolts without necessarily having to remove the disc cover.

The extension of the disc guard to the caliper protects the caliper assembly from shocks and mud.
Multiple ventilation windows allow correct temperature self-adjustment, preventing disc/caliper overheating.
Max. disc Ø 280 mm
Weight 200g
Before you buy: check the compatibility with your bike

PRODUCT DETAILS

90% Plastic | 10% Steel
Made In: Italy

APPLICATIONS

GAS GAS EC 250 2021 2022 2023 2024 | GAS GAS EC 250 F 2021 2022 2023 2024 | GAS GAS EC 300 2021 2022 2023 2024 | GAS GAS EC 350 F 2021 2022 2023 2024 | GAS GAS EC 450 F 2024 | GAS GAS EC 500 F 2024 | GAS GAS EX 250 2022 2023 2024 | GAS GAS EX 250 F 2021 2022 2023 2024 | GAS GAS EX 300 2021 2022 2023 2024 | GAS GAS EX 350 F 2021 2022 2023 2024 | GAS GAS EX 450 F 2021 2022 2023 2024 | GAS GAS MC 125 2021 2022 2023 2024 | GAS GAS MC 250 2022 2023 2024 | GAS GAS MC 250 F 2021 2022 2023 2024 | GAS GAS MC 350 F 2022 2023 2024 | GAS GAS MC 450 F 2021 2022 2023 2024 | HUSQVARNA FC 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FC 350 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FC 450 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 250 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 350 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 350 PRO 2024 | HUSQVARNA FE 350 S 2022 2023 2024 | HUSQVARNA FE 350 W 2024 | HUSQVARNA FE 450 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 501 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 501 S 2022 2023 2024 | HUSQVARNA FE 501 W 2024 | HUSQVARNA FX 350 2020 2021 2022 2023 2024 | HUSQVARNA FX 450 2020 2021 2022 2023 2024 | HUSQVARNA TC 125 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA TC 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA TE 150 2024 | HUSQVARNA TE 150i 2020 2021 2022 2023 | HUSQVARNA TE 250 2024 | HUSQVARNA TE 250i 2018 2019 2020 2021 2022 2023 | HUSQVARNA TE 300 2024 | HUSQVARNA TE 300 PRO 2024 | HUSQVARNA TE 300i 2018 2019 2020 2021 2022 2023 | HUSQVARNA TX 300 2020 2021 2022 2023 2024 | KTM EXC 150 2024 | KTM EXC 150 TPI 2020 2021 2022 2023 | KTM EXC 250 2024 | KTM EXC 250 TPI 2018 2019 2020 2021 2022 2023 | KTM EXC 300 2024 | KTM EXC 300 TPI 2018 2019 2020 2021 2022 2023 | KTM EXC-F 250 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM EXC-F 350 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM EXC-F 450 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM EXC-F 500 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX 125 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX 300 2023 2024 | KTM SX-F 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX-F 350 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX-F 450 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM XC 125 2020 2021 2022 2023 2024 | KTM XC 250 2023 2024 | KTM XC 250 TPI 2020 2021 2022 | KTM XC 300 2023 2024 | KTM XC 300 TPI 2020 2021 2022 | KTM XC-F 250 2019 2020 2021 2022 2023 2024 | KTM XC-F 350 2019 2020 2021 2022 2023 2024 | KTM XC-F 450 2019 2020 2021 2022 2023 2024 | KTM XC-W 150 2024 | KTM XC-W 150 TPI 2019 2020 2021 2022 2023 | KTM XC-W 250 2024 | KTM XC-W 250 TPI 2019 2020 2021 2022 2023 | KTM XC-W 300 2024 | KTM XC-W 300 TPI 2019 2020 2021 2022 2023 | KTM XCF-W 350 2020 2021 2022 2023 | KTM XCF-W 450 2023 2024 | KTM XCF-W 500 2020 2021 2022 2023 | KTM XW-F 350 2024 | KTM XW-F 500 2024 | SHERCO 125 SE FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 250 SE FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 250 SEF FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 300 SE FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 300 SEF FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 450 SEF FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 500 SEF FACTORY 2018 2019 2020 2021 2022 2023 | STARK FUTURE VARG 2023 2024

SIZES



FUEL TANK FOR KTM
298192



298192-



298192-

FEATURES

CONSTRUCTION AND DESIGN: Increased tank 15L / 3.95 Gallons Ideal for long and short distance competition. Designed to maintain a narrow and ergonomic profile to ensure excellent driveability. Clean line that follows the original shapes of the bike.	Quick Fill filling cap mounting possibilities Possibility of mounting cap with key Acerbis In the tank is included: Acerbis Cap Mounting kit
--	--

APPLICATIONS

KTM EXC 150 2024 | KTM EXC 250 2024 | KTM EXC 300 2024 | KTM EXC-F 250 2024 | KTM EXC-F 350 2024 | KTM EXC-F 450 2024 | KTM EXC-F 500 2024 | KTM SX 125 2023 2024 | KTM SX 250 2023 2024 | KTM SX 300 2023 2024 | KTM SX-F 250 2023 2024 | KTM SX-F 350 2023 2024 | KTM SX-F 450 2023 2024 | KTM XC 125 2023 2024 | KTM XC 250 2023 2024 | KTM XC 300 2023 2024 | KTM XC-F 250 2023 2024 | KTM XC-F 350 2023 2024 | KTM XC-F 450 2023 2024 | KTM XC-W 150 2024 | KTM XC-W 250 2024 | KTM XC-W 300 2024 | KTM XCF-W 450 2024 | KTM XW-F 350 2024 | KTM XW-F 500 2024

SIZES

FINITO | ASSEMBLATO | T.10



FUEL TANK YAMAHA

298185



298185-



298185-



298185-

FEATURES

Oversized tank 10.5 L
Impact and abrasion resistant.
Ideal for both long and short-distance competition.
Designed to retain a narrow profile and ensure excellent rideability.

Clean line that follows the bike's original shape.
Included are:
- Acerbis cap
- Mounting kit
Tank uses original pump
Weight: 2.15 kg

PRODUCT DETAILS

88% Plastic | 8% Steel | 4% Others

Made In: Italy

APPLICATIONS

YAMAHA WR 450 F 2024 | YAMAHA YZ 250 F 2024 | YAMAHA YZ 450 F 2023 2024

PRODUCTS RELATED



298186
MOUNTING KIT FUEL TANK
0025876

SIZES

FINITO | ASSEMBLATO | T.10



ACERBIS CHAIN GUIDE
FOR
KTM/HUSQVARNA/GAS
GAS
298318



298318-



298318-62



298318-12



298318-32

FEATURES

The acerbis chain guide provides impact resistance thanks to its high-strength plastic material.
It is made of two pieces: the body and the slide, the latter of which can be replaced once it has worn out, also allowing you not to have to disassemble the chain when replacing the slide or the eyebolt itself.

Reduces oscillatory shaking of the chain
The controlled elasticity structure of the chain guide, absorbs shocks and minimizes damage to the chain and sprocket.
Is easily applied with acerbis hardware already included, taking advantage of the original mounts on the swingarm

PRODUCT DETAILS

95% Plastic | 5% Altro

Made In: Italy

APPLICATIONS

GAS GAS EC 250 2024 | GAS GAS EC 250 F 2024 | GAS GAS EC 300 2024 | GAS GAS EC 350 F 2024 | GAS GAS EC 450 F 2024 | GAS GAS EC 500 F 2024 | GAS GAS EX 250 2024 | GAS GAS EX 250 F 2024 | GAS GAS EX 300 2024 | GAS GAS EX 350 F 2024 | GAS GAS EX 450 F 2024 | GAS GAS MC 125 2024 | GAS GAS MC 250 2024 | GAS GAS MC 250 F 2024 | GAS GAS MC 350 F 2024 | GAS GAS MC 450 F 2024 | HUSQVARNA FC 250 2023 2024 | HUSQVARNA FC 350 2023 2024 | HUSQVARNA FC 450 2023 2024 | HUSQVARNA FE 250 2024 | HUSQVARNA FE 350 2024 | HUSQVARNA FE 350 PRO 2024 | HUSQVARNA FE 350 S 2024 | HUSQVARNA FE 350 W 2024 | HUSQVARNA FE 450 2024 | HUSQVARNA FE 501 2024 | HUSQVARNA FE 501 S 2024 | HUSQVARNA FE 501 W 2024 | HUSQVARNA FX 350 2023 2024 | HUSQVARNA FX 450 2023 2024 | HUSQVARNA TC 125 2023 2024 | HUSQVARNA TC 250 2023 2024 | HUSQVARNA TE 150 2024 | HUSQVARNA TE 250 2024 | HUSQVARNA TE 300 2024 | HUSQVARNA TE 300 PRO 2024 | HUSQVARNA TX 300 2023 2024 | KTM EXC 150 2024 | KTM EXC 250 2024 | KTM EXC 300 2024 | KTM EXC-F 250 2024 | KTM EXC-F 350 2024 | KTM EXC-F 450 2024 | KTM EXC-F 500 2024 | KTM SX 125 2023 2024 | KTM SX 250 2023 2024 | KTM SX 300 2023 2024 | KTM SX-F 250 2023 2024 | KTM SX-F 350 2023 2024 | KTM SX-F 450 2023 2024 | KTM XC 125 2023 2024 | KTM XC 300 2023 2024 | KTM XC-F 250 2023 2024 | KTM XC-F 350 2023 2024 | KTM XC-F 450 2023 2024 | KTM XC-W 150 2024 | KTM XC-W 250 2024 | KTM XC-W 300 2024 | KTM XCF-W 450 2024 | KTM XW-F 350 2024 | KTM XW-F 500 2024

PRODUCTS RELATED



298319
REPLACEMENT INSERTS

 011.016

 040

 090

 110

SIZES

DASH REV COUNTER
FOHDEGIR
298336



298336-12

FEATURES

Universal tachometer with RPM reader, launch control and shift warning functionality LEDs allow you to read revolutions per minute (RPM) in real time, giving you full control The Launch Control function ensures the rider gets the perfect start, thanks to LEDs that indicate the ideal moment to start at maximum power and control, depending on one's preferences The shift warning function uses LEDs to signal the rider the right time to shift gears and release full engine power. the LEDs will flash at the desired rpm	Equipped with a convenient button for adjusting the necessary settings, which can be positioned on the handlebars Front guard integrated into the aluminum support base, with the protective function from bumps and debris Water-resistant Applies to the front of the fender, via an aluminum bracket and screws in the mounting kit Can be applied to any fender, with direct power supply to the battery. RPM reading is via electrical pulses detectable from the spark plug power cable Printed logo on tachometer and lasered on bracket
---	---

PRODUCT DETAILS

PVC: 29 | 304 stainless steel: 14 | Epoxy Resin: 10 | Aluminium: 9 | ABS: 7 | Organic silicone: 6 | Copper: 5 | Methyl vinyl silicone rubber: 5 | PBT: 4 | Fiberglass: 4 | Others: 2 | PP: 3 | PMMA: 1 | PBS: 1

Made In: China