

HEADLIGHT VSL FOR
GAS GAS
298638



298638-

FEATURES

Here is the new Acerbis Headlight VSL, the new led headlight for Gasgas 2024 designed for Offroad use only that guarantees maximum brightness, depth of field and better clarity of details and profiles, in conditions of scarcity or absence of light. The new led headlight, which can be easily mounted by taking advantage of the original headlight frame, is designed to guarantee an unprecedented performance and an incredibly powerful light beam thanks to the 16 48W LEDs with 4320 Lumen. A highly safe product that is IP68-guaranteed and can work at operating temperatures between -40°C and +85°C. Acerbis Headlight VSL is compatible with the frames of all GasGas Enduro models equipped with battery, 2T and 4T. What are you waiting for to try our LED headlight? You'll have a clearer view of the course and ride harder, risking less.

High energetic performance for OFFROAD use only.
Maximum brightness and depth of detail guaranteed, even in total dark situations.
IP68 waterproof: permanent impermeability up to 3 metres deep.
16 Led, 48W headlight.
4320 Lumen.
DC electrical supply from 9 to 32V.
Estimated led lifespan: 50000 hours.
Operating temperatures between between -40° and +85° C.
Quick and easy installation with mounting kit, compatible with original mask

APPLICATIONS

GAS GAS EC 125 2024 2025 | GAS GAS EC 250 2024 2025 | GAS GAS EC 250 F 2024 2025 | GAS GAS EC 300 2024 2025 | GAS GAS EC 350 F 2024 2025 | GAS GAS EC 450 F 2024 2025 | GAS GAS EC 500 F 2024 2025

HEADLIGHT MASK VSL
FOR HSQ
298331



298331-42

FEATURES

High-brightness led mask designed for OFFROAD use only Provides maximum brightness and depth of detail in low or no light conditions 12 Led 36W spotlight, IP68 waterproof Lumen 4320 DC (direct current) power supply from 9 to 32 V Expected life of the led: 50000 hours Possibility of use in all weather conditions and at any temperature, as the spotlight withstands operating temperatures between -40° and +85° C	Mounting, quick and easy by taking advantage of the frame of the original faceplate Compatible for all enduro models equipped with battery
---	---

PRODUCT DETAILS

75% Metal | 20% Plastic | 5% Other

Made In: Italy

APPLICATIONS

HUSQVARNA FE 250 2024 2025 | HUSQVARNA FE 350 2024 2025 | HUSQVARNA FE 350 PRO 2024 2025 | HUSQVARNA FE 350 S 2024 2025 |
HUSQVARNA FE 350 W 2024 2025 | HUSQVARNA FE 450 2024 2025 | HUSQVARNA FE 501 2024 2025 | HUSQVARNA FE 501 S 2024 2025 |
HUSQVARNA FE 501 W 2024 2025 | HUSQVARNA TE 150 2024 2025 | HUSQVARNA TE 250 2024 2025 | HUSQVARNA TE 300 2024 2025 |
HUSQVARNA TE 300 PRO 2024 2025

HEADLIGHT MASK VSL
FOR KTM
298330



298330-

FEATURES

High-brightness led mask designed for OFFROAD use only Provides maximum brightness and depth of detail in low or no light conditions 12 Led 36W spotlight, waterproof IP68 Lumen 4320 DC (direct current) power supply from 9 to 32 V Expected life of the led: 50000 hours Possibility of use in all weather conditions and at any temperature, as the spotlight withstands operating temperatures between -40° and +85° C	Mounting, quick and easy by taking advantage of the frame of the original faceplate Compatible for all enduro models equipped with battery
---	---

PRODUCT DETAILS

75% Metal | 20% Plastic | 5% Other

Made In: Italy

APPLICATIONS

KTM EXC 150 2024 2025 | KTM EXC 250 2024 2025 | KTM EXC 300 2024 2025 | KTM EXC-F 250 2024 2025 | KTM EXC-F 350 2024 2025 | KTM EXC-F 450 2024 2025 | KTM EXC-F 500 2024 2025 | KTM XC-W 125 2025 | KTM XC-W 150 2024 2025 | KTM XC-W 250 2024 2025 | KTM XC-W 300 2024 2025 | KTM XCF-W 350 2024 2025 | KTM XCF-W 450 2024 2025 | KTM XW-F 350 2024 | KTM XW-F 500 2024 2025

HEADLIGHT MASK VSL
FOR BETA
297948



297948-32

FEATURES

High energy yield mask designed for OFFROAD use only Guarantees maximum brightness and depth of detail in conditions of scarcity / absence of light IP68 waterproof: protection from permanent immersion in water up to 3 meters deep 12 Led headlight 32W Lumen 4320 DC power supply (direct current) from 9 to 32 V Expected life of the led: 50000 hours	Operating temperatures between -40° and + 85° C Quick and easy assembly by means of the elastic bands of the original mask that are fixed on the forks Compatible for all enduro models equipped with a battery WARNING: check in the compatibilities to see if your bike requires the power rectifier to work properly (to be bought separately)
---	--

PRODUCT DETAILS

ALUMINIUM 70,00% | OTHERS 2,00% | RUBBER 8,00% | POLYPROPYLENE 20,00%

Made In: Italy

APPLICATIONS

BETA RR 125 2T 2020 2021 2022 2023 2024 | BETA RR 125 2T RACING 2020 2021 2022 2023 2024 | BETA RR 200 2T 2020 2021 2022 2023 2024 | BETA RR 200 2T RACING 2020 2021 2022 2023 2024 | BETA RR 250 2T 2020 2021 2022 2023 2024 | BETA RR 250 2T RACING 2020 2021 2022 2023 2024 | BETA RR 300 2T 2020 2021 2022 2023 2024 | BETA RR 300 2T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 390 4T 2020 2021 2022 2023 2024 | BETA RR 390 4T RACING 2020 2021 2022 2023 2024 | BETA RR 430 4T 2020 2021 2022 2023 2024 | BETA RR 430 4T RACING 2020 2021 2022 2023 2024 | BETA RR 480 4T 2020 2021 2022 2023 2024 | BETA RR 480 4T RACING 2020 2021 2022 2023 2024 | BETA XTRAINER 250 2020 2021 2022 2023 2024 2025 | BETA XTRAINER 300 2020 2021 2022 2023 2024 2025

HEADLIGHTS & TAILLIGHTS / HEADLIGHTS
HEADLIGHT MASK VSL FOR BETA



PRODUCTS RELATED



VSL-CURRENT RECTIFIER

■ 090

HEADLIGHT MASK VSL FOR GASGAS 289569



289569-32

FEATURES

High energy yield mask designed for OFFROAD use only Guarantees maximum brightness and depth of detail in conditions of scarcity / absence of light IP68 waterproof: protection from permanent immersion in water up to 3 meters deep 12 Led headlight Lumen 4300 DC power supply (direct current) from 9 to 32 V	Expected life of the led: 50000 hours Operating temperatures between -40° and + 85° C Quick and easy assembly by means of the elastic bands of the original mask that are fixed on the forks Compatible for all enduro models equipped with a battery
--	--

PRODUCT DETAILS

ALUMINIUM 70,00% | OTHERS 2,00% | RUBBER 8,00% | POLYPROPYLENE 20,00%

Made In: Italy

APPLICATIONS

GAS GAS EC 250 2021 2022 2023 | GAS GAS EC 250 F 2021 2022 2023 | GAS GAS EC 300 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023



HEADLIGHT MASK VSL
FIT ALL
285685



285685-42



285685-12

FEATURES

High energetic performance mask for OFFROAD use only
Maximum brightness and depth of detail guaranteed, even in dark conditions
IP68 waterproof: permanent impermeability up to 3 metres deep
16 Led, 48W headlight
4320 Lumen
DC electrical supply from 9 to 32V

Estimated led lifespan: 50000 hours
Operating temperatures between between -40° and +85° C
Easy and fast mounting, using the included headlight's rubber bands
Designed for all enduro battery-powered models

PRODUCT DETAILS

Alluminium 70% | Others 2% | Rubber 8% | Polypropylene 20%

Made In: Italy

PRODUCTS RELATED



VSL-CURRENT RECTIFIER

■ 090



HEADLIGHT MASK VSL FOR HUSQVARNA 280199



280199-42

FEATURES

High energetic performance for OFFROAD use only.
Maximum brightness and depth of detail guaranteed, even in total dark situations.
IP68 waterproof: permanent impermeability up to 3 metres deep.
16 Led, 48W headlight.
4320 Lumen.
DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.
Operating temperatures between between -40° and +85° C.
Easy and fast mounting, using the original headlight's rubber bands.
Developed for enduro 2020 Husqvarna bikes

APPLICATIONS

HUSQVARNA FE 250 2020 2021 2022 2023 | HUSQVARNA FE 350 2020 2021 2022 2023 | HUSQVARNA FE 350 S 2022 2023 | HUSQVARNA FE 450 2020 2021 2022 2023 | HUSQVARNA FE 501 2020 2021 2022 2023 | HUSQVARNA FE 501 S 2022 2023 | HUSQVARNA TE 150i 2020 2021 2022 2023 | HUSQVARNA TE 250i 2020 2021 2022 2023 | HUSQVARNA TE 300i 2020 2021 2022 2023

PRODUCTS RELATED



279153
FULL PLASTIC KIT FOR
HUSQVARNA

- 031 090
- 553 553.022
- 553.023



273345
X-GRIP FOR HUSQVARNA
FRAME PROTECTOR

- 249 293
- 315 319
- 349 726
- 878



HEADLIGHT VSL MASK FOR KTM 280198



280198-

FEATURES

High energetic performance for OFFROAD use only.
Maximum brightness and depth of detail guaranteed, even in total dark situations.
IP68 waterproof: permanent impermeability up to 3 metres deep.
16 Led, 48W headlight.
4320 Lumen.
DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.
Operating temperatures between between -40° and +85° C.
Easy and fast mounting, using the original headlight's rubber bands.
Developed for enduro 2020 KTM bikes

APPLICATIONS

KTM EXC 150 TPI 2020 2021 2022 2023 | KTM EXC 250 TPI 2020 2021 2022 2023 | KTM EXC 300 TPI 2020 2021 2022 2023 | KTM EXC-F 250 2020 2021 2022 2023 | KTM EXC-F 350 2020 2021 2022 2023 | KTM EXC-F 450 2020 2021 2022 2023 | KTM EXC-F 500 2020 2021 2022 2023 | KTM XC-W 150 TPI 2020 2021 2022 2023 | KTM XC-W 250 TPI 2020 2021 2022 2023 | KTM XC-W 300 TPI 2020 2021 2022 2023 | KTM XCF-W 350 2020 2021 2022 2023 | KTM XCF-W 450 2023 | KTM XCF-W 500 2020 2021 2022 2023



HEADLIGHT MASK VSL FOR KTM 278047



278047-

FEATURES

High energetic performance for OFFROAD use only.
Maximum brightness and depth of detail guaranteed, even in total dark situations.
IP68 waterproof: permanent impermeability up to 3 metres deep.
16 Led, 48W headlight.
4320 Lumen.
DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.
Operating temperatures between between -40° and +85° C.
Easy and fast mounting, using the original headlight's rubber bands.
Developed for enduro KTM/HUSQVARNA bikes from 2017 to 2019

APPLICATIONS

KTM EXC 250 TPI 2018 2019 | KTM EXC 300 TPI 2018 2019 | KTM EXC-F 250 2017 2018 2019 | KTM EXC-F 350 2017 2018 2019 | KTM EXC-F 450 2017 2018 2019 | KTM EXC-F 500 2017 2018 2019



HEADLIGHT MASK VSL FOR HUSQVARNA

278048



278048-42

FEATURES

High energetic performance for OFFROAD use only.
Maximum brightness and depth of detail guaranteed, even in total dark situations.
IP68 waterproof: permanent impermeability up to 3 metres deep.
16 Led, 48W headlight.
4320 Lumen.
DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.
Operating temperatures between between -40° and +85° C.
Easy and fast mounting, using the original headlight's rubber bands.
Developed for enduro KTM/HUSQVARNA bikes from 2017 to 2019

APPLICATIONS

HUSQVARNA FE 250 2017 2018 2019 | HUSQVARNA FE 350 2017 2018 2019 | HUSQVARNA FE 450 2017 2018 2019 | HUSQVARNA TE 250I 2018 2019 | HUSQVARNA TE 300I 2018 2019

ELBA
263305



263305-42



263305-32

FEATURES

Retro look headlight with high resistance plastic headlight (polycarbonate) for enduro bike with conventional forks; Bulb 12 V. 35 W. (BA20D). 3 positions; Easy mounting with 4 elastics; Yellow sticker added for competition race number

PRODUCTS RELATED



204922
BULB 12 V 35/35 W BA20D
ELBA



204053
BAJA REAR FENDER

030



MOUNTING STRAPS ELBA

HEADLIGHTS & TAILLIGHTS / HEADLIGHTS
ELBA



204037
NOST FRONT FENDER



030



090

DHH CERTIFIED
204275



204275-42



204275-12

PRODUCTS RELATED



204463
MOUNTING STRAPS



204922
BULB 12 V 35/35 W BA20D
ELBA



204276
SALED BEAM



204921
ON/OFF SWITCH

SIZES

001

MOUNTING STRAPS
LED VISION HP
204283



204283-

PRODUCTS RELATED



214421
LED VISION HP HEADLIGHTS

- | | |
|-----|-----|
| 010 | 030 |
| 060 | 090 |

SALED BEAM
204276



204276-

PRODUCTS RELATED



204275
DHH CERTIFIED

030

090

MOUNTING STRAPS
204463



204463-

PRODUCTS RELATED



204269
CYCLOPE HEADLIGHTS

■ 090



204275
DHH CERTIFIED

□ 030 ■ 090



267622
FULMINE

■ 010 □ 030
■ 040 ■ 060
■ 090 ■ 110
■ 130



204274
DHH HEADLIGHTS

□ 030 ■ 090

BULB 12V
204289



204289-

FEATURES

10° beam
12 V - 35 W

PRODUCTS RELATED



204274
DHH HEADLIGHTS

☐ 030

☒ 090



ON/OFF SWITCH
204921



204921-

PRODUCTS RELATED



214421
LED VISION HP HEADLIGHTS

- 010 030
- 060 090



204269
CYCLOPE HEADLIGHTS

- 090



204275
DHH CERTIFIED

- 030 090



204274
DHH HEADLIGHTS

- 030 090

HIGH BEAM
204273



204273-

PRODUCTS RELATED



204269
CYCLOPE HEADLIGHTS

■ 090

TAIL LIGHT X-LED CE
225026



225026-12

TAIL LIGHT LED CE
214047



214047-12

TAIL LIGHT LED
204439



204439-12